



Lyophilized DOTAP/DOPC ATP Liposome, NBD-lipid Labeled

Catalog: Lipo-224RG

PRODUCT INFORMATION

Name	Lyophilized DOTAP/DOPC ATP Liposome, NBD-lipid Labeled
Cat No.	Lipo-224RG
Product Overview	The encapsulation of ATP in liposomes markedly promotes its effectiveness by preventing the hydrolysis by extracellular enzymes, increasing ATP circulation time and enhancing its intracellular penetration. ATP liposomes can be used in various models such as myocardial, liver, retina and wound healing ischemia. Studies have slown the ability of liposomal encapsulated ATP to prevent cell death and tissue dysfunction following ischemic events. The concentration of encapsulated ATP is 0.5µmol/vial.
Lipid Composition	DOTAP/DOPC/NBD-PE (0.30/1.185/0.015 µmol/vial) DOTAP: 1,2-dioleoyl-3-trimethylammonium-propane (chloride salt) DOPC: 1,2-dioleoyl-sn-glycero-3-phosphocholine NBD PE: 1,2-dioleoyl-sn-glycero-3-phosphoethanolamine-N-(7-nitro-2-1,3-benzoxadiazol-4-yl) (ammonium salt) (NBD PE)
Form	Lyophilized Powder
Storage Buffer	PBS, pH 7.4 with trehalose as lyoprotectant
Concentration	Lipid Concentration 1.5 µmol/vial
Stability	6 months
Storage	-20°C